


Non-Rated Panel Door (PN SCL5-NR)

Bonded SCL Core, 5-Ply Construction

	Single Swing Pair or Double Egress			
Core Type & Standards	Structural Composite Lumber: (38 lb/ft³)			
Maximum Sizes	4'3" x 10'0" 8'6" x 10'0"			
Protection Plates	Up to 48" (above bottom of door)			
Door Thickness	1-3/4" (+/- 1/16")			
WDMA Prefit Tolerance	Width: (+/- 1/32") Height & Thickness: (+/- 1/16")			
Weight	6.87lb/ft ² (3070 Door = 144lbs) (4070 Door = 193lbs)			
Crossband	High Density FSC Fiberboard			
Blocking	(Standard) Full Core Blocking; 1" Fixed Internal Stiles			
Assembly Adhesive	Face: Type I (waterproof); Core: Type II (water-resistant)			
Replaceable Edge Stiles	Field Replaceable SCL Stiles. Acrovyn and/or 20GA #4			
& Covers	finish Stainless Steel Replaceable Covers			
Replaceable Edge Profile	Beveled, Square, Radius			
Lites	5" from edges, 1-1/2" from hardware or additional cutouts			
Max Lite Cutout Area	Lite cutout must replace one entire panel			
Lite Frames	Wood beads; Metal – Painted, Wood Veneered, Acrovyn			
	Wrapped			
Glazing	No restrictions			
Louvers	Up to 24" x 24"; 10" From Bottom of Door & 1-1/2" From			
	Hardware or Additional Cutout			
Electronic Options	Electronic Hardware & Raceways Available, Except Behind			
	Recessed Portions of the Panels			
Hinges	Mortised, Surface & Continuous			
Pivots	Center hung & Offset w/intermediate			
Locks	Mortise & Cylindrical			
Exit Devices	Surface Vertical Rod (Includes LBR), RIM & Mortised			
Concealed Vertical Rod	Not Available			
Flushbolts	Must Be Extension Type (Metal Door)			
Closing Devices	Mortised or Surface Mounted			
Door Bottoms	Mortised or Surface Mounted			
Transoms	Available			
Panel Design Options	8 standard options (See <u>Pages 10 - 18</u>)			











26 -

3 Werner Way, Lebanon, NJ 08833 US, 800-416-6586 895 Lakefront Promenade, Mississauga, ON L5E 2C2 Canada, 905-274-3611

www.c-sgroup.com



Overview of Acrovyn Door Systems

Features & Benefits

- Acrovyn Doors will not tear, chip, or crack.
 Key to the doors durability is the rugged
 Acrovyn face and edge material.
- Acrovyn is 5 times as abrasion resistant as wood and twice as resistant as HPL.
- Integrated Acrovyn or stainless steel radiused edge guards wrap around both door stiles to provide the ultimate damage protection
- If ever damaged, the Acrovyn Door's edge guards & stiles can be easily replaced in the field for a longer door life.*
- Contains no PBT's & is completely free of PVC
- Standard line of Acrovyn Doors are C2C certified at the Silver level

Acrovyn Face & Edge Finish Options


- 20 standard woodgrain & 2 metal Chameleon Acrovyn finishes available in a smooth suede texture
- 67 standard Acrovyn solid colors
- Stainless steel edges available in 20Ga type 304, #4 finish

Technical Data

www.c-sgroup.com

- Standards: WDMA I.S.1-A Extra Heavy Duty Door
- Lites & Louvers: Cutouts, vision kits, glazing, and louvers available*
- Pre-machining available for all mortise hardware from manufacturer's templates & approved shop drawings
- Warranty: Limited Lifetime
- Top & bottom rails are factory sealed with an approved sealant.

Standard Construction



<u>U.S. Patents:</u> 7,621,102; 7,587,876; 7,775,013-B2; 7,886,501-B2.

<u>U.S. Design Patents:</u> D512 785S; D515 713S; D517 224S; D517 701S; D518 185S

- 4 -

^{*}As noted on the individual product data sheets



Performance Attributes

All Door Products*

- Cycle Slam: Extra Heavy Duty per WDMA TM-7, -2,000,000 cycles (2x the WDMA requirement)
- Hinge Loading: Extra Heavy Duty per WDMA TM-8
- Screw Holding: Extra Heavy Duty per WDMA TM-10
- **Door Finish Wear Index:** ASTM D4060-90 (Abrasion Resistance Testing)
- **Door Finish Chemical Resistance Testing:** ASTM D1308-93
- Door Finish Impact Resistance: ASTM D-4226
- Warp Tolerance: WDMA TM-2
- Stain Resistance/Cleanability: ASTM D1308-93 (Common Stains Easily Removed)
- Resistance to Fungi: ASTM G-21-96 Zero Fungal Growth (On Acrovyn Sheet)
- Resistance to Bacteria: ASTM G-22-96 Zero Bacterial Growth (On Acrovyn Sheet)
- Resistance to Fungi: ASTM G-21-2013 Zero Fungal Growth (At Replaceable Edge Seam)
- Resistance to Bacteria: ASTM G-22-2013 Zero Bacterial Growth (At Replaceable Edge Seam)

WDMA I.S.1A Flush Wood Door Minimum Performance Standards

Performance Attribute	Performance Duty Level				
Performance Attribute	Extra Heavy Duty	Heavy Duty	Standard Duty		
Adhesive Bond Durability, WDMA TM-6	Type I or Type II	Type I or Type II	Type I or Type II		
Cycle Slam, WDMA TM-7	1,000,000 cycles	500,000 cycles	250,000 cycles		
Hinge-Loading, WDMA TM-8	550 lbs. (2440 N)	475 lbs. (4110 N)	400 lbs. (1780 N)		
Door Finishes Various ASTM test methods	TR-6/OP-6 or equal **	TR-4/OP-4 or equal **	TR-2/OP-2 or equal **		
Screwholding, WDMA TM-10 Door Face (Blocked or unblocked) Vertical Door Edge Horizontal Door Edge	550 lbs. (2440 N) 550 lbs. (2440 N) 300 lbs. (1330 N)	475 lbs. (2110 N) 475 lbs. (2110 N) 240 lbs. (1060 N)	400 lbs. (1780 N)*** 400 lbs. (1780 N) 180 lbs. (810 N)		
Telegraph, Section T-1	Maximum 0.010 inch in any 3 inch span (0.25 mm in any 76 mm span)				
Warp Tolerance, Section T-2	Maximum 0.25 inch in any 3'-6" x 7'-0" (6.4 mm in any 1050 mm x 2100 mm) door section				
Squareness, Section T-3	Diagonal variance 1/8 inch (3.2 mm)				

^{*} Acrovyn Door model FC5-NR, meets Extra Heavy Duty for all sections above with the exception of "Screwholding WDMA TM-10 (unblocked)"

www.c-sgroup.com

^{**} Other formulations may exhibit similar performance characteristics, but must meet or exceed the performance levels for the systems specified to be considered as equal.

^{***} If screw holding power is less than 400 lbs. (1780 N) in a Standard Duty door, blocking or thru-bolts are recommended for operable hardware.



LEED® v4 Contributions

	Building Product Disclosure and Optimization Credits				Indoor Environmental Quality Credits	
	Environment al Product Declarations	Raw Materials FSC/POST/PRE Recycled Content	Material Ingredients (3 rd party certification)	Regional Priority (manuf <100 miles away)	Low Emitting Materials (ULEF & NAF)	Emissions And Content (non- emitting)
Non-Rated – Agrifiber	C2C Silver	NO/0%/56%	C2C Silver	NO	YES	YES
Non-Rated - SCL	C2C Silver	NO/0%/0%	C2C Silver	NO	YES	YES
Non-Rated - FSC-PB	C2C Silver	YES/0%/100%	C2C Silver	NO	YES	YES
Non-Rated – PB	C2C Silver	NO/0%/58%	C2C Silver	NO	YES	YES
Non-Rated - SCL-STC30	C2C Silver	NO/0%/0%	C2C Silver	NO	YES	YES
Non-Rated – SCL-STC43-46	C2C Silver	NO/0%/0%	C2C Silver	NO	YES	YES
20min – Agrifiber	C2C Silver	NO/0%/0%	C2C Silver	NO	YES	YES
<u> 20min – SCL</u>	C2C Silver	NO/0%/36%	C2C Silver	NO	YES	YES
20min – FSC-PB	C2C Silver	Yes/0%/0%	C2C Silver	NO	YES	YES
<u> 20min – PB</u>	C2C Silver	No/0%/36%	C2C Silver	NO	YES	YES
45min – Mineral	C2C Silver	NO/0%/36%	C2C Silver	NO	YES	YES
<u> 60min – Mineral</u>	C2C Silver	NO/0%/36%	C2C Silver	NO	YES	YES
90min – Mineral	C2C Silver	NO/0%/36%	C2C Silver	NO	YES	YES
<u>Lead Lined – NR – Agrifiber</u>	N/A	NO/0%/0%	N/A	NO	YES	YES
<u>Lead Lined – NR – SCL</u>	N/A	NO/0%/0%	N/A	NO	YES	YES
Lead Lined – NR – FSC-PB	N/A	YES/0%/56%	N/A	NO	YES	YES
Lead Lined – NR – PB	N/A	NO/0%/0%	N/A	NO	YES	YES
<u>Lead Lined – 20min – FSC-PB</u>	N/A	YES/0%/56%	N/A	NO	YES	YES
<u>Lead Lined – 20min – PB</u>	N/A	NO/0%/56%	N/A	NO	YES	YES

The U.S. Green Building Council's LEED® green building program is the preeminent program for the design, construction, maintenance and operations of high-performance green buildings. Learn more at usgbc.org/ LEED.




LEED® 2009 v3.0 Contributions


	Mater	Indoor Environmental Quality Credits		
	MR 4 Recycled Content	MR6 Rapidly Renewable	MR 7 Certified Wood	IEQ 4.4 No added Urea Formaldehyde
Non-Rated – Agrifiber	X	X	X	X
Non-Rated - SCL			Х	X
Non-Rated - FSC-PB	Х		Х	Х
Non-Rated – PB	X			X
Non-Rated - SCL-STC30			X	X
Non-Rated – SCL-STC43-46				
20min – Agrifiber	X	X	X	X
<u> 20min – SCL</u>			X	X
20min – FSC-PB	Х		Х	Х
<u> 20min – PB</u>	X			X
45min – Mineral				X
<u>60min – Mineral</u>				X
90min – Mineral				X
<u>Lead Lined – NR – Agrifiber</u>	X	X	X	X
<u>Lead Lined – NR – SCL</u>	X			Х
<u>Lead Lined – NR – FSC-PB</u>	X		X	X
<u>Lead Lined – NR – PB</u>	X			Х
<u>Lead Lined – 20min – FSC-PB</u>	X		X	X
<u>Lead Lined – 20min – PB</u>	X			Х

The U.S. Green Building Council's LEED® green building program is the preeminent program for the design, construction, maintenance and operations of high-performance green buildings. Learn more at usgbc.org/LEED.



Lite Kit Options






ALL DIMENSIONS NOTED ARE NOMINAL



Door Edge Options



3 Werner Way, Lebanon, NJ 08833 US, 800-416-6586 895 Lakefront Promenade, Mississauga, ON L5E 2C2 Canada, 905-274-3611

www.c-sgroup.com




Standard Panel Door Designs






Montclair Panel Door Details






Somerset Panel Door Details






Madison Panel Door Details






Summit Panel Door Details






Berkeley Panel Door Details






Chatham Panel Door Details





Montgomery Panel Door Details





Plymouth Panel Door Details

