



To: LEED Project Manager

Re: LEED Documentation - Expansion Joint Covers

**MR Credit 4.1 & 4.2, Recycled Content** – Construction Specialties, Inc. expansion joint cover's aluminum contains a minimum of 70% recycled aluminum. Of the 70% recycled content, 30% is post-consumer recycled content and 40% is pre consumer recycled content.

**MR Credit 4.1 & 4.2, Recycled Content** – Construction Specialties, Inc. expansion joint cover's stainless steel contains a minimum of 86% recycled stainless steel. Of the 86% recycled content, 54% is post-consumer recycled content and 32% is pre consumer recycled content.

**EQ Credit 4.1, Low Emitting Adhesives** – All adhesives or sealants supplied with C/S expansion joint covers for field-application within the interior of the building meet the requirements of SCAQMD Rule #1168. The aerosol adhesive supplied with C/S RFX fire barrier is also compliant with GS-36 requirements, as it contains no VOC's.

**EQ Credit 4.2, Low Emitting Paints and Coatings:** Construction Specialties, Inc. expansion joint covers offer environmentally-friendly powder coat finishes that contain no VOC's.

**MR Credit 5.1, Regional Materials** – In many cases our products are processed and manufactured within the required 500 mi. radius, however, with extraction sites varying with raw material global price fluctuations, it is not possible to identify exact extraction sites for materials that will be used on this project. Therefore, we do not claim to contribute to this credit unless the project is seeking a Commercial Interiors (CI) certification, which does not require extraction site information.

**LEED ID Credit, Cradle to Cradle Certified** - C/S SSR-Series expansion joint covers have earned MBDC Cradle to Cradle: Silver Certification

We hope this information helps in your effort to achieve a LEED certified building. Please contact us if you have any additional questions on LEED compliance documentation.